



## **preSAT: SAT Solver Description**

Cédric Piette, Youssef Hamadi, Lakhdar Saïs

### ► To cite this version:

| Cédric Piette, Youssef Hamadi, Lakhdar Saïs. preSAT: SAT Solver Description. 2008. hal-00872842

**HAL Id: hal-00872842**

**<https://hal.science/hal-00872842>**

Submitted on 14 Oct 2013

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# preSAT: SAT Solver Description

Cédric Piette<sup>1</sup>, Youssef Hamadi<sup>2</sup>, and Lakhdar Sais<sup>1</sup>

<sup>1</sup> CRIL-CNRS  
Université d'Artois  
Rue Jean Souvraz SP18  
F-62307 Lens Cedex France  
{piette, sais}@cril.fr

<sup>2</sup> Microsoft Research  
7 J J Thomson Avenue  
CB3 0FB, Cambridge, United Kingdom  
youssefh@microsoft.com

This document briefly describes `preSAT 1.0`, a new technique designed to efficiently solve structured CNF formulae. `preSAT` is based on an original preprocessing technique called `revival` [1]. This technique aims at producing either sub-clauses or relevant additional clauses for the tested CNF.

To this end, `revival` heuristically checks whether each clause is minimally (w.r.t. set-theoretical inclusion of literals) irredundant. The efficiency of `revival` relies on its full integration into a modern SAT solver. Hence, its computation benefits from the classical components of modern DPLLs (watched literals, learning scheme, VSIDS-like heuristics, etc.), boosting (sub-)clauses production. However, on some large industrial problems, `revival` can be time consuming. To avoid losing time in such cases, our pre-processor has a time limit empirically set to 60 seconds. Therefore, even if new sub-clauses could be produced, the CNF is delivered in its current state.

After the application of our `revival` pre-processor, `SatElite` [2] is used to even more simplify the formula before running an exhaustive approach. For the complete solver, `Rsat` [3] has been selected. The addition of `revival` to this solver is expected to improve its behavior on many benchmarks.

## References

1. Piette, C., Hamadi, Y., Sais, L.: Vivifying propositional clausal formulae. Technical Report MSR-TR-(to appear), Microsoft Research (april 2008)
2. Eén, N., Biere, A.: Effective preprocessing in SAT through variable and clause elimination. In: SAT'05. (2005) 61–75
3. Pipatsrisawat, K., Darwiche, A.: RSAT 2.0: SAT solver description. Technical Report D-153, Automated Reasoning Group, Computer Science Department, UCLA (2007)